Rider Floor Scrubbers

The AS710R/AS850R are medium-sized ride-on scrubber dryers and the perfect solution for scrubbing and drying in heavy-trafic areas.

The perfect ride-on solution for scrubbing and drying

Ideally suited for daily indoor cleaning in mid-sized areas of railway stations, parking areas, shopping malls, exhibition centers, schools, hotels, public institutions and other commercial environments larger than 50,000sqft

- · 28 and 32 inch cleaning path
- 31 US gallon solution and recovery tanks
- 77 and 80 pounds of down pressure
- · One-touch scrubbing
- Four solution flow rates
- · Easy recovery tank clean-out
- · Integrated squeegee hanging system
- · Side pocket for easy storage of paperwork
- · USB port for charging portable electronics
- 2-year parts and 2-year labour warranty



Picture shown may not represent model quoted

Standard equipment

| | Included accessories | Ref. no. | Min. required | AS710R CAN PACKAGE | AS850R OBC 242 AH WET BATTS | AS850R OBC 312 AH AGM BATTS |
|--------------|-----------------------------|----------|------------------|-----------------------|-----------------------------------|-----------------------------------|
| Pad Holder | | | | | | |
| (0) | PAD DRIVER 14INCH | VR14303 | 2 | • | | |
| | PAD DRIVER 15INCH | VR19121 | 2 | | • | • |
| Disc Brush | | | | | | |
| | KIT BRUSH | VR19120 | 2 | | • | • |
| | KIT BRUSH 14INCH | VR14300 | 2 | • | | |
| Deck Blade | | | | | | |
| um | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | • | | |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | | | |
| Squeegee Bla | ade | | | | | |



Rider Floor Scrubbers

| | Included accessories | Ref. no. | Min. required | AS710R CAN PACKAGE | AS850R OBC 242 AH WET BATTS | AS850R OBC 312 AH AGM BATTS |
|--------------|---------------------------|----------|------------------|-----------------------|-----------------------------------|-----------------------------------|
| | BLADE SQUEEGEE FT FANG32T | VF84207 | 0 | | • | • |
| | BLADE SQUEEGEE RR FANG32T | VF84208 | 0 | | • | • |
| | SQUEEGEE BLADE FRONT | VR16002 | 1 | • | | |
| | SQUEEGEE BLADE REAR | VR16003 | 1 | • | | |
| On-Board Ch | arger | | | | | |
| | KIT CHARGER US VERSION | VR13442 | 1 | | | |
| Viper Access | ory | | | | | |
| €. | KIT CHARGER | VR13240 | 1 | | | |
| | KIT FRONT BUMPER BRACKET | VR10027 | 1 | | • | • |

Standard equipment

| | Included accessories | Ref. no. | Min. required | AS710R W/ TPPL BATTERIES |
|------------|----------------------|----------|------------------|--------------------------------|
| Pad Holder | | | | |
| | PAD DRIVER 14INCH | VR14303 | 2 | • |
| | PAD DRIVER 15INCH | VR19121 | 2 | |
| Disc Brush | | | | |
| | KIT BRUSH | VR19120 | 2 | |



| | Included accessories | Ref. no. | Min. required | AS710R W/ TPPL BATTERIES |
|--------------|-----------------------------|----------|------------------|--------------------------------|
| | KIT BRUSH 14INCH | VR14300 | 2 | • |
| Deck Blade | | | | |
| 1031 | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | • |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | |
| Squeegee Bla | ade | | | |
| | BLADE SQUEEGEE FT FANG32T | VF84207 | 0 | |
| | BLADE SQUEEGEE RR FANG32T | VF84208 | 0 | |
| | SQUEEGEE BLADE FRONT | VR16002 | 1 | • |
| | SQUEEGEE BLADE REAR | VR16003 | 1 | • |
| On-Board Ch | arger | | | |
| | KIT CHARGER US VERSION | VR13442 | 1 | • |
| Viper Access | ory | | | |
| ₭. | KIT CHARGER | VR13240 | 1 | |
| | KIT FRONT BUMPER BRACKET | VR10027 | 1 | |



| Model | AS710R CAN PACKAGE | AS850R OBC 242 AH WET BATTS | AS850R OBC 312 AH AGM BATTS |
|---------------------------------------|--------------------------|--------------------------------|--------------------------------|
| Ref. no. | AS710R-CANPKG | AS850R-242 | AS850R-312 |
| PRODUCT FEATURES | | | |
| Front and rear bumpers | • | • | • |
| Padholder included | • | • | • |
| Battery charger | • | • | • |
| Battery version | • | • | • |
| Recovery emptying hoses | • | • | • |
| Disc deck: 2 brushes | • | • | • |
| Water level indicator | • | • | • |
| Delivered ready to use (full package) | • | • | • |
| Onboard squeegee storage | • | • | • |
| Model | | | AS710R W/TPPL BATTERIES |
| Ref. no. | | | AS710R-TPPL |
| PRODUCT FEATURES | | | |
| Front and rear bumpers | | | • |
| Padholder included | | | • |
| Battery charger | | | • |
| Battery version | | | • |
| Recovery emptying hoses | | | • |
| Disc deck: 2 brushes | | | • |
| Water level indicator | | | • |
| Delivered ready to use (full package) | | | • |
| Onboard squeegee storage | | | • |
| Technical specifications | AS710R CAN PACKAGE | AS850R OBC 242 AH WET BATTS | AS850R OBC 312 AH AGM BATTS |
| Drive motor hp (W) | 500 | 0.67hp | 0.67hp |
| Brush motor (W) | 2X300 | 2X0.4hp | 2X0.4hp |
| Vacuum motor power (W) | 500 | 0.67hp | 0.67hp |
| Battery type | 6V 245Ah/C20 AGM 4PCS | | |
| Vacuum (mm H2O) | 1800 | 1800 | 1800 |
| Sound pressure level (dB(A)) | 69 | 69 | 69 |
| Productivity rate (m²/h) | 4413 sq m/h | 55219 ft²/h | 55219 ft²/h |
| Cleaning width (mm) | 28in | 31.8in | 31.8in |
| Min. aisle turn (cm) | 177,3 | | |
| Max. climbing rate (%) | 10 | 10 | 10 |



| Technical specifications | AS710R CAN PACKAGE | AS850R OBC 242 AH WET BATTS | AS850R OBC 312 AH AGM BATTS |
|---|-------------------------------------|---------------------------------|---------------------------------|
| Solution tank (I) | 32gal | 32gal | 32gal |
| Recovery tank (I) | 32gal | 32gal | 32gal |
| Drive wheels (cm) | 25 | 9.8in | 9.8in |
| Squeegee width (mm) | 37in | 41.7in | 41.7in |
| Brush diameter (mm) | 14in x2 | 16in x2 | 16in x2 |
| Brush pressure (kg) | 77 lb | 88 lb | 88 lb |
| Brush speed (RPM) | 204 | 204 | 204 |
| Dimensions, L x W x H (mm) | 68.11 x 31.89 x 55.5in (package) | 62.2x35x48.48 inch | 62.2x35x48.48 inch |
| Length x width x height (mm) | 1580x760x1230 (machine) | 62.2x35x48.48 inch | 62.2x35x48.48 inch |
| Battery compartment size (L x W x H) (mm) | 24x16x14,3 in | 24x16x14,3 inch24x16x14,3 in | 24x16x14,3 inch24x16x14,3 in |
| Net weight (kg) | 771.6 lb | 507 lbs | 507 lbs |
| Max. shipping weight | 959lb | 970lbs | 970lbs |
| Charging system | 24V 25A | | |
| Max. speed (km/h) | 3.7mph | 3.7mph | 3.7mph |

| Technical specifications | AS710R W/TPPL BATTERIES |
|------------------------------|----------------------------|
| Drive motor hp (W) | 0.67hp |
| Brush motor (W) | 2X0.4hp |
| Vacuum motor power (W) | 0.67hp |
| Battery type | 12V 128Ah TPPL (4PCS) |
| Vacuum (mm H2O) | 1800 |
| Sound pressure level (dB(A)) | 69 |
| Productivity rate (m²/h) | 55219 ft²/h |
| Cleaning width (mm) | 31.8in |
| Min. aisle turn (cm) | 182,5 |
| Max. climbing rate (%) | 10 |
| Solution tank (I) | 32gal |
| Recovery tank (I) | 32gal |
| Drive wheels (cm) | 9.8in |
| Squeegee width (mm) | 41.7in |
| Brush diameter (mm) | 16in x2 |
| Brush pressure (kg) | 88 lb |
| Brush speed (RPM) | 204 |
| Dimensions, L x W x H (mm) | 62.2x35x48.48 inch |
| Length x width x height (mm) | 62.2x35x48.48 inch |



Rider Floor Scrubbers

Technical specifications

AS710R W/TPPL
BATTERIES

Battery compartment size (L x W x H) (mm) 24x16x14,3 inch24x16x14,3 in

Net weight (kg) 507 lbs

Max. shipping weight 970lbs

Charging system

Max. speed (km/h) 3.7mph

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | AS710R CAN PACKAGE | AS850R OBC 242 AH WET BATTS | AS850R OBC 312 AH AGM BATTS |
|--------------|--------------------------------|----------|------------------|-----------------------|-----------------------------------|-----------------------------------|
| Disc Brush | | | | | | |
| | AS70R CLEAN GRIT BRUSH 0.9 MM | VR14307 | 2 | 0 | | |
| | KIT BRUSH | VR19120 | 2 | | • | • |
| | KIT BRUSH 14INCH | VR14300 | 2 | • | | |
| Pad Holder | | | | | | |
| | PAD DRIVER 14INCH | VR14303 | 2 | • | | |
| | PAD DRIVER 15INCH | VR19121 | 2 | | • | • |
| Squeegee Bla | ade | | | | | |
| | BLADE SQUEEGEE FT FANG32T | VF84207 | 0 | | • | • |
| | BLADE SQUEEGEE FT LINATEX F32T | VF84207L | 0 | | 0 | 0 |
| | BLADE SQUEEGEE RR FANG32T | VF84208 | 0 | | • | • |



| | Accessories | Ref. no. | Min. required | AS710R CAN PACKAGE | AS850R OBC 242 AH WET BATTS | AS850R OBC 312 AH AGM BATTS |
|--|--------------------------------|----------|------------------|-----------------------|-----------------------------------|-----------------------------------|
| | BLADE SQUEEGEE RR LINATEX F32T | VF84208L | 0 | | 0 | 0 |
| | LINATEX BLADE FRONT | VR16002L | 1 | 0 | | |
| | LINATEX BLADE REAR | VR16003L | 1 | 0 | | |
| | SQUEEGEE BLADE FRONT | VR16002 | 1 | • | | |
| | SQUEEGEE BLADE REAR | VR16003 | 1 | • | | |
| Viper Accesso | ory | | | | | |
| €. | KIT CHARGER | VR13240 | 1 | | | |
| | KIT FRONT BUMPER BRACKET | VR10027 | 1 | | • | • |
| ,, | KIT WARNING BRACKET | VR17160 | 1 | | 0 | 0 |
| Deck Blade | | | | | | |
| wa w | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | • | | |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | | | |
| Accessory Kit | | | | | | |
| | BATTERY TRAY | VR10048 | 0 | 0 | | |
| On-Board Cha | arger | | | | | |
| | KIT CHARGER US VERSION | VR13442 | 1 | | | |



Rider Floor Scrubbers

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | AS710R W/ TPPL BATTERIES |
|--------------|--------------------------------|----------|------------------|--------------------------------|
| Disc Brush | | | | |
| | AS70R CLEAN GRIT BRUSH 0.9 MM | VR14307 | 2 | 0 |
| | KIT BRUSH | VR19120 | 2 | |
| | KIT BRUSH 14INCH | VR14300 | 2 | • |
| Pad Holder | | | | |
| (0) | PAD DRIVER 14INCH | VR14303 | 2 | • |
| | PAD DRIVER 15INCH | VR19121 | 2 | |
| Squeegee Bla | ade | | | |
| | BLADE SQUEEGEE FT FANG32T | VF84207 | 0 | |
| | BLADE SQUEEGEE FT LINATEX F32T | VF84207L | 0 | |
| | BLADE SQUEEGEE RR FANG32T | VF84208 | 0 | |
| | BLADE SQUEEGEE RR LINATEX F32T | VF84208L | 0 | |
| | LINATEX BLADE FRONT | VR16002L | 1 | 0 |



| | Accessories | Ref. no. | Min. required | AS710R W/ TPPL BATTERIES |
|---------------|-----------------------------|----------|------------------|--------------------------------|
| | LINATEX BLADE REAR | VR16003L | 1 | 0 |
| | SQUEEGEE BLADE FRONT | VR16002 | 1 | • |
| | SQUEEGEE BLADE REAR | VR16003 | 1 | • |
| Viper Accesso | ory | | | |
| €. | KIT CHARGER | VR13240 | 1 | |
| | KIT FRONT BUMPER BRACKET | VR10027 | 1 | |
| | KIT WARNING BRACKET | VR17160 | 1 | |
| Deck Blade | | | | |
| um | BLADE SIDE SKIRT RUBBER KIT | VR14015 | 2 | • |
| | BLADE SIDE SKIRT RUBBER KIT | VR19123 | 2 | |
| Accessory Kit | | | | |
| | BATTERY TRAY | VR10048 | 0 | 0 |
| On-Board Cha | | | | |
| | KIT CHARGER US VERSION | VR13442 | 1 | • |

