

**A07709CL TM CLN & FRESH 9000 12n7.5 4/C**

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : A07709CL TM CLN &amp; FRESH 9000 12n7.5 4/C

Material number : 000000000001042637

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 1310 Seaboard Industrial Blvd., NW  
Atlanta, GA 30318

Telephone : 404-352-1680

**Emergency telephone numbers****For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616**Recommended use of the chemical and restrictions on use**

Recommended use : Air Care

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | colourless, light yellow           |
| Odour      | characteristic                     |

**GHS Classification**

Flammable aerosols : Category 2  
 Gases under pressure : Liquefied gas  
 Eye irritation : Category 2A  
 Skin sensitisation : Category 1  
 Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H223 Flammable aerosol.  
 H280 Contains gas under pressure; may explode if heated.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

## A07709CL TM CLN &amp; FRESH 9000 12n7.5 4/C

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

Precautionary statements : **Prevention:**  
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Pressurized container: Do not pierce or burn, even after use.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**  
 P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
 P403 Store in a well-ventilated place.

**Disposal:**  
 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components

| Chemical name                               | CAS-No.    | Concentration [%] |
|---|------------|-------------------|
| 1,1-difluoroethane                          | 75-37-6    | >= 50 - < 70      |
| propan-2-ol                                 | 67-63-0    | >= 20 - < 30      |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | >= 5 - < 10       |
| benzyl salicylate                           | 118-58-1   | >= 0.1 - < 1      |

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.  
 If unconscious place in recovery position and seek medical

**A07709CL TM CLN & FRESH 9000 12n7.5 4/C**

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

|   |  |
|---|--|
|   | advice.  |
| In case of skin contact                                     | : In case of contact, immediately flush skin with soap and plenty of water.<br>If skin irritation persists, call a physician.  |
| In case of eye contact                                      | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed  | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.  |
| Most important symptoms and effects, both acute and delayed | : Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.<br><br>Effects are dependent on exposure (dose, concentration, contact time).<br>Causes serious eye irritation.<br>May cause drowsiness or dizziness.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician  | : Treat symptomatically. Symptoms may be delayed.  |

**SECTION 5. FIREFIGHTING MEASURES**

|                                      |   |
|--------------------------------------|---|
| Suitable extinguishing media         | : Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical   |
| Unsuitable extinguishing media       | : High volume water jet   |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products        | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke<br>Fluorine compounds<br>Hydrogen fluoride<br>Fluorocarbons<br>Nitrogen oxides (NO <sub>x</sub> ) |
| Specific extinguishing methods       | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |

**A07709CL TM CLN & FRESH 9000 12n7.5 4/C**

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

---

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up and shovel into suitable containers for disposal.
- 

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Always replace cap after use.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Observe label precautions.  
Keep in a dry, cool and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not freeze.  
Store and keep away from, oxidizing agents and acids.
-

Store and keep away from bases and alkalis.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components                                     | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|--|------------|----------------------------------|---|-----------|
| 1,1-difluoroethane                             | 75-37-6    | TWA                              | 1,000 ppm   | US WEEL   |
| propan-2-ol                                    | 67-63-0    | TWA                              | 200 ppm   | ACGIH     |
|  |            | STEL                             | 400 ppm   | ACGIH     |
|  |            | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | NIOSH REL |
|  |            | ST                               | 500 ppm<br>1,225 mg/m <sup>3</sup>                | NIOSH REL |
|  |            | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | OSHA Z-1  |
|  |            | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | OSHA P0   |
|  |            | STEL                             | 500 ppm<br>1,225 mg/m <sup>3</sup>                | OSHA P0   |
|  |            | PEL                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | CAL PEL   |
|  |            | STEL                             | 500 ppm<br>1,225 mg/m <sup>3</sup>                | CAL PEL   |
| Distillates (petroleum),<br>hydrotreated light | 64742-47-8 | TWA                              | 500 ppm<br>2,000 mg/m <sup>3</sup>                | OSHA Z-1  |
|  |            | TWA                              | 400 ppm<br>1,600 mg/m <sup>3</sup>                | OSHA P0   |
|  |            | TWA (Mist)                       | 5 mg/m <sup>3</sup>                               | OSHA Z-1  |
|  |            | TWA (Mist)                       | 5 mg/m <sup>3</sup>                               | OSHA P0   |
|  |            | TWA (Mist)                       | 5 mg/m <sup>3</sup>                               | NIOSH REL |
|  |            | ST (Mist)                        | 10 mg/m <sup>3</sup>                              | NIOSH REL |
|  |            | PEL<br>(particulate)             | 5 mg/m <sup>3</sup>                               | CAL PEL   |

### Biological occupational exposure limits

| Component   | CAS-No. | Control parameters | Biological specimen | Sampling time                   | Permissible concentration | Basis     |
|-------------|---------|--------------------|---------------------|---------------------------------|---------------------------|-----------|
| PROPAN-2-OL | 67-63-0 | Acetone            | Urine               | End of shift at end of workweek | 40 mg/l                   | ACGIH BEI |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

# SAFETY DATA SHEET



## A07709CL TM CLN & FRESH 9000 12n7.5 4/C

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

---

|                          |   |  |
|--------------------------|---|--|
| Hand protection          | : |  |
| Remarks                  | : | Skin should be washed after contact.   |
| Eye protection           | : | Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.     |
| Skin and body protection | : | No special protection is required.   |
| Hygiene measures         | : | When using do not eat or drink.<br>When using do not smoke.<br>Wash hands before breaks and at the end of workday. |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |                                    |
|--|---|------------------------------------|
| Appearance                             | : | Aerosol containing a liquefied gas |
| Colour                                 | : | colourless, light yellow           |
| Odour                                  | : | characteristic                     |
| Odour Threshold                        | : | No data available                  |
| pH                                     | : | Not applicable                     |
| Melting point/freezing point           | : | Not applicable                     |
| Boiling point                          | : | Not applicable                     |
| Flash point                            | : | Not applicable                     |
| Evaporation rate                       | : | not determined                     |
| Upper explosion limit                  | : | No data available                  |
| Lower explosion limit                  | : | No data available                  |
| Vapour pressure                        | : | No data available                  |
| Relative vapour density                | : | No data available                  |
| Density                                | : | No data available                  |
| Solubility(ies)                        | : |                                    |
| Water solubility                       | : | negligible                         |
| Partition coefficient: n-octanol/water | : | No data available                  |
| Auto-ignition temperature              | : | not determined                     |
| Thermal decomposition                  | : | No data available                  |
| Viscosity                              | : |                                    |
| Viscosity, kinematic                   | : | No data available                  |

---

### SECTION 10. STABILITY AND REACTIVITY

|            |   |        |
|------------|---|--------|
| Reactivity | : | Stable |
|------------|---|--------|

---

**A07709CL TM CLN & FRESH 9000 12n7.5 4/C**

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

|                                    |   |
|------------------------------------|---|
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents<br>Acids<br>Bases  |
| Hazardous decomposition products   | : Carbon oxides   |

---

**SECTION 11. TOXICOLOGICAL INFORMATION**
**Potential Health Effects**

|                              |   |
|------------------------------|---|
| Aggravated Medical Condition | : None known.   |
| Symptoms of Overexposure     | : Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions. |
|                              | Effects are dependent on exposure (dose, concentration, contact time).  |

**Carcinogenicity:**

|              |   |
|--------------|---|
| <b>IARC</b>  | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| <b>ACGIH</b> | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.            |
| <b>OSHA</b>  | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.             |
| <b>NTP</b>   | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.                 |

**Acute toxicity**
**Product:**

|                       |   |
|-----------------------|---|
| Acute oral toxicity   | : Acute toxicity estimate : > 5,000 mg/kg<br>Method: Calculation method |
| Acute dermal toxicity | : Acute toxicity estimate : > 5,000 mg/kg<br>Method: Calculation method |

# SAFETY DATA SHEET



## A07709CL TM CLN & FRESH 9000 12n7.5 4/C

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

### Components:

#### **1,1-difluoroethane:**

Acute inhalation toxicity : LC50 Mouse: 977,000 mg/l  
Exposure time: 2 h

#### **propan-2-ol:**

Acute oral toxicity : LD50 Oral Rat: 4,396 mg/kg  
Method: Calculation method

#### **Distillates (petroleum), hydrotreated light:**

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l  
Exposure time: 6 h

Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg

#### **benzyl salicylate:**

Acute oral toxicity : LD50 Oral Rat: 2,227 mg/kg

### **Skin corrosion/irritation**

#### Product:

Remarks: May cause skin irritation and/or dermatitis.

### **Serious eye damage/eye irritation**

#### Product:

Remarks: Severe eye irritation

### **Respiratory or skin sensitisation**

#### Product:

Remarks: Causes sensitisation.

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

#### **1,1-difluoroethane:**

#### **propan-2-ol:**

#### **Distillates (petroleum), hydrotreated light:**

#### **benzyl salicylate:**

### **STOT - single exposure**

No data available



# SAFETY DATA SHEET



## A07709CL TM CLN & FRESH 9000 12n7.5 4/C

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### Components:

##### **Distillates (petroleum), hydrotreated light:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

#### Components:

# SAFETY DATA SHEET



## A07709CL TM CLN & FRESH 9000 12n7.5 4/C

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

### Distillates (petroleum), hydrotreated light :

Additional ecological information : No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):  
ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**A07709CL TM CLN & FRESH 9000 12n7.5 4/C**

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

**CERCLA Reportable Quantity**

| Components        | CAS-No. | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|-------------------|---------|-----------------------|--------------------------------|
| diethyl phthalate | 84-66-2 | 1000                  | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Sudden Release of Pressure Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

**TSCA** On TSCA Inventory  
**DSL** This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

---

**SECTION 16. OTHER INFORMATION**

# SAFETY DATA SHEET



## A07709CL TM CLN & FRESH 9000 12n7.5 4/C


Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

### Further information

#### NFPA:



Special hazard.

#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 2 |
| FLAMMABILITY    | 3 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### OSHA - GHS Label Information:

Hazard pictograms :



Signal word :

**Warning:**

Hazard statements :

Flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statements :

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.

**Response:** IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 2.0        |
| Revision Date: | 05/04/2017 |
| Print Date:    | 04/11/2018 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next

# SAFETY DATA SHEET



## A07709CL TM CLN & FRESH 9000 12n7.5 4/C

Version 2.0

Revision Date 05/04/2017

Print Date 04/11/2018

---

Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.