

Vestec 882 – Heavy Duty Laundry Detergent

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: Vestec 882

Date of Safety Data Sheet: February 12, 2020 Use of Preparation: February 12, 2020 Laundry Detergent.

Company Identification: Parkside Professional Products Ltd.

4777 Kent Avenue

Niagara Falls, Ontario L2H 1J5 OFFICE: 905-358-8364

Company Emergency Telephone

Number

Emergency Phone: 905-358-8364

Transportation Emergency

Telephone Number

CANUTEC 613-996-6666 or * 666 for cell phone

2. HAZARD IDENTIFICATION

Emergency Overview:

OSHA / WHMIS 2015 Hazards

Corrosive to Metals and Eyes.

Classification of substance or mixture

GHS-US/Canadian classification:

GHS Hazards

Corrosive to Metal Category 1 H290 Acute Toxicity (Oral) Category 4 H302 Skin Corrosive Category 1A H314 Eye Damage Category 1 H318

Label Elements

GHS-US/ Canada Labeling Hazard Pictograms (GHS):



Signal Word (GHS): Danger **Hazard Statements (GHS)**:

H290 – May be corrosive to metals.

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Date: February 12, 2020

SDS: Parkside Professional Products Ltd. Vestec 882



Vestec 882 – Heavy Duty Laundry Detergent

Precautionary Statements (GHS):

P260: Do not breathe mist, spray, and vapours.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician.

P315: Get immediate medical advice/attention.

P363: Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Sodium Hydroxide	1310-73-2	1-5	Corrosive to Metals Category 1 - H290 Acute Toxicity Category 2 (Oral) - H300 Skin Corrosion/Irritation Category 1A - H314 Serious Eye Damage/Eye Irritation Category 1 - H318 Aquatic Hazard (Acute) Category 3 – H402
Sodium salt of dodecylbenzene sulphonic acid	27176-87-0	15-35	Skin Corrosion/Irritation Category 2 - H315 Serious Eye Damage/Eye Irritation Category 1 - H318
Alcohol ethoxylate	68002-97-1	3-7	Skin Corrosion/Irritation Category 3– H316 Serious Eye Damage/Eye Irritation Category 2B – H320
2-(2-Butoxyethoxy) ethanol	112-34-5	1-5	Acute Toxicity Category 5 (Oral) - H303 Serious Eye Damage/Eye Irritation Category 2B- H320 STOT Repeated Exposure Category 2 - H373
Tetrasodium EDTA	64-02-8	5-10	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritant Category 2 – H315 Serious Eye Damage/Irritation Category 2A – H319



Vestec 882 – Heavy Duty Laundry Detergent

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If symptoms persist consult physician.

Eye Contact: Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Repeat if required. If irritation persists, get medical

attention.

Skin Contact: Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

Ingestion: Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless

directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

Notes to Physician: Treatment based on judgment of attending physician.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant

foam

Unsuitable extinguishing media: None known.

Special exposure hazardsThermal decomposition releases irritating gases.

Special safety equipment: Self-contained positive pressure breathing apparatus and protective clothing.

Fire and explosion Not flammable. Not an explosive hazard.

Further information Keep containers and surrounding cool with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.



Vestec 882 – Heavy Duty Laundry Detergent

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage: Acids, Oxidizers, reducing agents.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame. Information about storage in one common storage facility:

Do not store together with strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Use local exhaust or dilution ventilation.

Hand protection: Chemical resistant gloves.

Eye protection: Safety goggles or full face shield.

Skin protection: Use body-covering impervious clothing.

Working hygiene: Take usual precautions when handling. Workers should wash hands before

eating, drinking or smoking.

Exposure Guidelines:

Sodium Hydroxide: ACGIH Ceiling 2 mg/m³

OSHA PEL (TWA) 2 mg/m³

Typical

No data available.



Vestec 882 – Heavy Duty Laundry Detergent

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Liquid

AppearanceClear.OdourColourBlue.Odour Threshold

Property Values Remarks/Method

pН 13.0 ± 0.5 None known Melting/Freezing Point No data available None known Boiling Point/Range No data available None known Flash Point Not applicable. None known **Evaporation Rate** Similar None known Flammability (solid, gas) Not flammable None known

Flammability Limit in Air:

Upper LimitNo data availableNone knownLower LimitNo data availableNone knownVapour PressureNo data availableNone knownVapour densityNo data availableNone known

Specific Gravity 1.125 -1.135 g/cm3

Water Solubility Soluble in water. None known Solubility Other Solvents No data available None known

Partition Coefficient:

n-octanol/waterNo data availableNone knownAutoignition temperatureNo data availableNone knownDecompositionNo data availableNone known

Temperature

Kinematic ViscosityNo data availableNone knownDynamic ViscosityNo data availableNone knownExplosive PropertiesNo data availableNone knownOxidizing PropertiesNo date availableNone known

Other Properties:

Softening Point

VOC Content %

Particle Size

Particle Size Distribution

No data available

No data available

No data available

No data available

10. STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability

Stable under recommended handling and storage conditions (see

section 7).

Date: February 12, 2020

SDS: Parkside Professional Products Ltd. Vestec 882



Vestec 882 – Heavy Duty Laundry Detergent

Thermal decomposition/conditions to

avoid:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid

Materials to avoid

Direct sunlight. Extremely high or low temperatures. Contact with

metallic substances.

Hazardous decomposition products

Carbon oxides (CO, CO2). Sodium oxides.

Metals such as aluminum. Reducing agents. Strong acids.

Hazardous polymerization Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

Sodium Hydroxide CAS# 1310-73-2:

LD50 (Oral, rat): 500 mg/kg

On the skin: Causes severe skin irritation and eye damage. (PH: 13.0).

On the eye: Causes serious eye damage. (PH: 13.0) Respiratory or Skin Sensitization: Not classified.

Additional toxicological information:

Carcinogenicity: Chemical Name IARC None NTP None

12. ECOLOGICAL INFORMATION

Toxicity: Not classified Persistence and Degradability: Not available Bioaccumulative Potential: Not available Mobility in Soil: Not available. Other Adverse Effects None known.

Other Information: All of the organic components of this product are readily biodegradable.

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.



Vestec 882 – Heavy Duty Laundry Detergent

14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material (quantity under 1 litre can be shipped Limited Quantity)

Proper Shipping Name: Caustic Alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II



US DOT: Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II



Water Transportation (IMDG): Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II





Vestec 882 – Heavy Duty Laundry Detergent

Air Transportation (IATA): Regulated Material Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II



15. REGULATORY INFORMATION

Occupational Health & Safety Regulations:

WHMIS Classification: Class D - Division 2B, Class E



OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies

KECL -

PICCS Complies AICS Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

Date: February 12, 2020



Vestec 882 – Heavy Duty Laundry Detergent

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals. NTA in this product is labeling exempt NSRL or no significant risk level.

HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

16. OTHER INFORMATION

Prepared By: Parkside Professional Products Ltd.

4777 Kent Avenue Niagara Falls, Ontario

L2H 1J5 905-358-8364

Issuing Date: February 18, 2017 **Revision Date**: February 12, 2020

Revision Notes: Hazard Identification – GHS Hazards updated to include H302 Acute Toxicity Oral which was

omitted in error. Composition / Information on Ingredients – EDTA added which was omitted in

error.



Vestec 882 – Heavy Duty Laundry Detergent

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet